

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>NVS52AGZ</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED  <b>02/18/2010</b>
NAME OF PROVIDER OR SUPPLIER  <b>ALZHEIMERS &amp; MEMORY CARE OF LV</b>		STREET ADDRESS, CITY, STATE, ZIP CODE <b>9708 ENNISKEEN AVE LAS VEGAS, NV 89129</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
Y 000	<p>Initial Comments</p> <p>Surveyor: 27364</p> <p>The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws.</p> <p>This Statement of Deficiencies was generated as a result of an annual State Licensure survey conducted in your facility on 2/18/10. This State Licensure survey was conducted by the authority of NRS 449.150, Powers of the Health Division.</p> <p>The facility is licensed for five Residential Facility for Group beds which provide care to persons with Alzheimer's disease, Category II residents. The census at the time of the survey was six. Six resident files were reviewed and six employee files were reviewed. One discharged resident file was reviewed.</p> <p>The facility received a grade of A.</p> <p>The following deficiencies were identified:</p>	Y 000		
Y 178 SS=D	<p>449.209(5) Health and Sanitation-Maintain Int/Ext</p> <p>NAC 449.209 5. The administrator of a residential facility shall ensure that the premises are clean and that the interior, exterior and landscaping of the facility are well maintained.</p>	Y 178		

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>NVS52AGZ</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED  <b>02/18/2010</b>
NAME OF PROVIDER OR SUPPLIER  <b>ALZHEIMERS &amp; MEMORY CARE OF LV</b>		STREET ADDRESS, CITY, STATE, ZIP CODE <b>9708 ENNISKEEN AVE LAS VEGAS, NV 89129</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
Y 178	Continued From page 1  This Regulation is not met as evidenced by: Surveyor: 27364 Based on observation on 2/18/10, the facility failed to ensure the bedrooms were clean and well maintained (master bedroom carpet was heavily soiled around the 3 beds and the entryway).  Severity: 2 Scope: 1	Y 178		
Y 621 SS=D	449.2702(4)(b) Admission Policy  NAC 449.2702 4. Except as otherwise provided in NAC 449.275 and 449.2754, a residential facility shall not admit or allow to remain in the facility any person who: (b) Requires restraint.  This Regulation is not met as evidenced by: Surveyor: 27364 NAC 449.2702 6. As used in this section: (b) "Restraint" means: (1) A psychopharmacologic drug that is used for discipline or convenience and is not required to treat medical symptoms; (2) A manual method for restricting a resident's freedom of movement or his normal access to his body; or (3) A device or material or equipment which is attached to or adjacent to a resident's body that cannot be removed easily by the resident and restricts the resident's freedom of movement or	Y 621		

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>NVS52AGZ</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED  <b>02/18/2010</b>
NAME OF PROVIDER OR SUPPLIER  <b>ALZHEIMERS &amp; MEMORY CARE OF LV</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>9708 ENNISKEEN AVE LAS VEGAS, NV 89129</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
Y 621	Continued From page 2  his normal access to his body.  Based on observation, interview and record review on 2/18/10, the facility failed to ensure 1 of 6 residents were not restrained with the use of full side bed rails.  Severity: 2 Scope: 1	Y 621			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.